A marked-up version of ABSTRACT:

(Second Amended) A method for manufacturing cards and envelops decorated with embroidered fabrics is provided. Various kinds of drawings are embroidered on a fabric with threads of different colors. Firstly, a paper is cut into the shape of a long rectangle which is divided into three equal portions and one of which, the first portion, has a window at the center therefore and three trapezoidal wings are formed along the three edges thereof, to one end of the short side of the rectangle, opposite to the first portion, is connected a distorted trapezoid along the bottom side of which one trapezoid wing is developed [this invention]. The first sheet of card stock is folded into four portions. A part of the first portion of the card stock, the frame, is cut out of various shapes such as heart, square, and star. The embroidered fabric is cut into a certain size and adhered to the rear side of the frame, on which peel off sticker with gule [peel off glue] is attached, without applying any heat or pressure. The front side of the paper frame is decorated with, including but not limited to, various kinds of paintings, pictures, phrases and emblems. The card [card of this invention] may be used as, including but not limited to, a season's greeting card, a congratulatory card, a business card, an invitational [invitatory] card, a post card, and an envelope [envelop] for previously recommended cards.

A clean version of amended ABSTRACT:

(Second Amended) A method for manufacturing cards and envelops decorated with embroidered fabrics is provided. Various kinds of drawings are embroidered on a fabric with threads of different colors. Firstly, a paper is cut into the shape of a long rectangle which is divided into three equal portions and one of which, the first portion, has a window at the center therefore and three trapezoidal wings are formed along the three edges thereof, to one end of the short side of the rectangle, opposite to the first portion, is connected a distorted trapezoid along the bottom side of which one trapezoid wing is developed. The first sheet of card stock is folded into four portions. A part of the first portion of the card stock, the frame, is cut out of various shapes such as heart, square, and star. The embroidered fabric is cut into a certain size and adhered to the rear side of the frame, on which peel off sticker with gule is attached, without applying any heat or pressure. The front side of the paper frame is decorated with, including but not limited to, various kinds of paintings, pictures, phrases and emblems. The card may be used as, including but not limited to, a season's greeting card, a congratulatory card, a business card, an invitational card, a post card, and an envelope for previously recommended cards.

Page 4, Paragraph 1, Line 9, In SUMMARY OF THE INVENTION;

[square, and star. to make a frame.]

Please amend the above-described application as follows.

square, and star, to make a frame.

Page 4, Paragraph 1, Line 15, In SUMMARY OF THE INVENTION;

business card, an [invitatory] card, a post card, and [envelopes] for previously

Please amend the above-described application as follows.

business card, an <u>invitational</u> card, a post card, and the envelope of this invention can be used as envelopes for previously

Page 7, Paragraph 3, Line 15 - Line 18, In DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS;

Fig. 5 is an inner surface view of the card of this invention after completion. The small [fourth part of the card stock, (292) of the Fig. 2], becomes pocket (51) for some messages, if desired. Greeting messages (52) can be printed on the [inner side of the third part of the card stock (53)].

Please amend the above-described application as follows.

Fig. 5 is an inner surface view of the card of this invention after completion. The small fourth potion (16) of the card stock of the Fig. 1, becomes pocket (51) for some messages, if desired. Greeting messages (52) can be printed on the rear side of the second portion, numbered as (15) in the Fig. 1, of the card stock (11).

Page 7, Paragraph 4, Line 19 - Line 22,
Page 8, Paragraph 1, Line 1-Line 5
In DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS;

Fig. 6 is a front view of the first sheet of postcard stock of this invention prior to the folding. A first sheet of card stock is cut into a form shown as [(61)]. A window (62) of various shapes is punctured on the first portion of the postcard stock (64). Peel off [glues are] adhered on the face of the wings (63). Three wings (63) on the first portion of the postcard stock (64) are folded backward to be bonded to the rear face of the second portion of the postcard stock (65). Lower border lengths of the two portions are the same. Stamp positions (66) and necessary messages are printed on the second part of the postcard stock (65).

Please amend the above-described application as follows.

Fig. 6 is a front view of the first sheet of postcard stock of this invention prior to the folding. A first sheet of card stock is cut into a form shown as (61), a shape comprised of three portions of rectangular forms of a same size connected in series, the first portion of the card stock has three wings (63) of shallow trapezoid shape, on which peel off glues are attached, are developed on the three edges. A window (62) of various shapes is punctured on the first portion of the postcard stock (64). Peel off glue stickers with glue (63-1) are adhered on the face of the wings (63). Three wings (63) on the first portion of the postcard stock (64) are folded backward to be bonded to the rear face of the second portion of the postcard stock (65). Lower border lengths of the two portions are the same. Stamp positions (66) and necessary messages are printed on the second part of the postcard stock (65).

Page 8, Paragraph 1, Line 1-Line 5 In DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS;

Fig. 7 is a schematic configuration of frame layer, tape, [embroidery, second] portion of the postcard stock. The peel off [glue having window in the middle (71)] is attached at the rear face of the frame layer (72). Embroidery decorated fabric (73) locates on the mark place [(74)] over which the [peel off glue (75)] is attached. The first portion of the card stock (76) is folded over the second portion of the card stock (77). [Slightly] pressing of the folded postcard stock with hand result in a desired postcard.

Please amend the above-described application as follows.

Fig. 7 is a schematic configuration of frame layer, tape, embroidery, and second portion of the postcard stock. The peel off sticker with glue (71) having window in the middle is attached at the rear face of the frame layer (72). Embroidery decorated fabric (73) locates on the mark place (74), over which the peel off sticker with glue (75) is attached. The first portion of the card stock (76) is folded over the second portion of the card stock (77). Slight pressing of the folded postcard stock with hand result in a desired postcard.

Page 9, Line 20, In CLAIMS:

An original filed claim 5:

A method for manufacturing a embroidery decorated card with;

1) a card stock, which is cut into a shape comprised of three portions of rectangular forms of a same size connected in series, the first portion of the card stock has a window of various shape punctured at the center and has three wings of shallow trapezoid shape, on which peel off glues are attached, are developed on the three edges, and one portion of distorted trapezoid form, whose maximum height is half of that of the rectangular form, connected serially to the third portion of rectangular form, having a shallow trapezoid shape, on which a peel off glue is attached, 2) an embroidery, made with various threads of different color, decorated fabric, and 3) six pieces of peel off glues by; a) folding the three wings on the first portion of the card stock, on which peel off glues are adhered, backward to let the three wings face the rear face of the second portion of the card stock, b) folding the wing, on which peel off glue is attached, on the fourth portion of the card stock backward to let the wing face the third portion of the card stock, c) adhere a peel off glue, having a window at the center matching to the window on the first portion of the card stock, to the rear face of the first portion of the card stock, d) adhere another peel off glue to the second portion of the card stock, e) take off the peels from the peel off glues, f) place the embroidered fabrics, facing the window on the first portion of the card stock, on the glue on the second portion of the card stock, g) fold the first portion and second portions of the card stock face each other, and third and fourth portion of the card stock face each other, and h) slightly press the folded card with hands.

A marked-up version of Claim 5.

(Amended) A method for manufacturing <u>embroidered decoration cards</u> [a embroidery decorated card] with <u>:</u> [;]

1) a card stock, which is cut into comprised shapes of three rectangular portions of the same size and are connected in a series [a shape comprised of three portions of rectangular forms of a same size connected in series], a [the] first portion of the card stock has a window punctured [of various shape punctured] at a [the] center and has three wings of shallow trapezoid shape which are developed along the three edges, [, on which peel off glues are attached, are developed on the three edges,] and one portion with a trapezoid form connected to a third portion of the rectangular form, having a shallow trapezoid shape wing, [of distorted trapezoid form, whose maximum height is half of that of the rectangular form, connected serially to the third portion of rectangular form, having a shallow trapezoid shape, on which a peel off glue is attached,] 2) an embroidery pattern which is made with threads of different colors on a decorated fabric [, made with various threads of different color, decorated fabric], and 3) six pieces of peel off stickers with glue, three of them are attached on the three wings of the first portion of the card stock and the other three are attached on the wing of the distorted trapezoid portion, behind the window of the first portion of the card stock, and on the inside of the second portion of the card stock respectively, by following steps of [glues by]; a) fold [folding] the three wings on the first portion of the card stock, turn it backward [, on which peel off glues are adhered, backward to let the three wings face the rear face of a [the] second portion of the card stock, b) fold [folding] the wing , which is on the bottom side of the distorted trapezoid formed portion, [, on which peel off glue is attached, on the fourth portion of the card stock] backward to let the wing surface, on which glue is pasted, adheres to [face] the third portion of the card stock, c) stick [adhere] a peel off glue, having a window at a [the] center matching to the window on the first portion of the card stock, to the rear face of the first portion of the card stock, d) adhere another peel off glue to the second portion of the card stock, e) take off a peel [the peels] from the peel off glue [glues], f) place the embroidered side [embroidered fabrics], facing the window on the first portion of the card stock, on the glue on the second portion of the card stock, g) fold the first portion and the <u>second portion</u> [second portions] of the card stock <u>so they face</u> [face] each other, and <u>fold the third and the distorted trapezoid portions</u> [third and fourth portion] of the card stock <u>to face</u> [face] each other, and h) slightly press <u>the card</u>, <u>finally formed in step g)</u>, [the folded card] with hands.

A clean version of amended Claim 5.

(Amended) A method for manufacturing embroidered decoration cards with:

1) a card stock, which is cut into comprised shapes of three rectangular portions of the same size and are connected in a series, a first portion of the card stock has a window punctured at a center and has three wings of shallow trapezoid shape which are developed along the three edges, and one portion with a trapezoid form connected to a third portion of the rectangular form, having a shallow trapezoid shape wing, 2) an embroidery pattern which is made with threads of different colors on a decorated fabric and 3) six pieces of peel off stickers with glue, three of them are attached on the three wings of the first portion of the card stock and the other three are attached on the wing of the distorted trapezoid portion, behind the window of the first portion of the card stock, and on the inside of the second portion of the card stock respectively, by following steps of; a) fold the three wings on the first portion of the card stock , turn it backward to let the three wings face the rear face of a second portion of the card stock, b) fold the wing, which is on the bottom side of the distorted trapezoid formed portion, backward to let the wing surface, on which glue is pasted, adheres to the third portion of the card stock, c) stick a peel off glue, having a window at a center matching to the window on the first portion of the card stock, to the rear face of the first portion of the card stock, d) adhere another peel off glue to the second portion of the card stock, e) take off a peel from the peel off glue, f) place the embroidered side, facing the window on the first portion of the card stock, on the glue on the second portion of the card stock, g) fold the first portion and the second portion of the card stock so they face each other, and fold the third and the distorted trapezoid portions of the card stock to face each other, and h) slightly press the card, finally formed in step g), with hands.

Page 9, Line 21, In CLAIMS:

- 6. A method for manufacturing a embroidery decorated post card with;
 - 1) a card stock, which is cut into a shape comprised of two portions of rectangular forms of a same size connected in series, the first portion of the card stock has a window of various shape punctured at the center and has three wings of shallow trapezoid shape, on which peel off glues are attached, are developed on the three edges, 2) an embroidery, made with various threads of different color, decorated fabric, and 3) five pieces of peel off glues by; a) folding the three wings on the first portion of the card stock, on which peel off glues are adhered, backward to let the three wings face the rear face of the second portion of the card stock, b) adhere a peel off glue, having a window at the center matching to the window on the first portion of the card stock, to the rear face of the first portion of the card stock, c) adhere another peel off glue to the second portion of the card stock, d) take off the peels from the peel off glues, e) place the embroidered fabrics, facing the window on the first portion of the card stock, on the glue on the second portion of the card stock, f) fold the first portion and second portions of the card stock face each other, and g) slightly press the folded card with hands.

Please delete the above-described application.

Page 9, Line 22, In CLAIMS:

- 7. A method for manufacturing a embroidery decorated envelope with;
 - 1) an envelope stock, which is cut into a shape comprised of two portions of rectangular forms of a same size connected in series, the first portion of the envelop stock has a window of various shape punctured at the corner and has two wings of shallow trapezoid shape, on which peel off glues are attached, are developed on the two opposite edges and has a rounded shallow rectangular wing, 2) an embroidery, made with various threads of different color, decorated fabric, and 3) three pieces of peel off glues by; a) folding the two wings on the first portion of the envelope stock, on which peel off glues are adhered, backward to let the two wings face the rear face of the second portion of the envelope stock, b) adhere a peel off glue, having a window at the center matching to the window on the first portion of the envelope stock, to the corner of the rear face of the first portion of the envelope stock, c) take off the peels from the peel off glues, d) place the embroidered fabrics, facing the window on the first portion of the envelope stock, on the glue on the rear face of the first portion of the envelope stock, e) fold the first portion and second portions of the envelope stock face each other, and g) s lightly press the folded envelope with hands.

Please delete the above-described application.